







# LVT

- > PLANK-IT
- > IDEAL
- > ROBUST



LVT

GRABO

# Luxury vinyl tile

PLANKIT | ROBUST | IDEAL

LUXURY VINYL TILE FLOORING  
FOR COMMERCIAL USE

The Grabo LVT floorings are inspired by nature, manufactured with phthalate free technology and provides an environmentally friendly flooring solution for the users.

## RECOMMENDED USAGE

- > Hospitality
- > Retail
- > Offices
- > Education



iGuard



NORMAL  
FORMAT



4 SIDE  
BEVELED



PLANK-IT




ROBUST



IDEAL

## CONSTRUCTION

- iGuard PUR Protective coating
- Transparent wear layer
- Design printed layer
- Middle layer
- Glass fibre reinforcement
- Back layer



## SPECIFICATIONS

ROBUST AND IDEAL ARE AVAILABLE IN ALL PLANKIT DESIGNS  
WITH THE MINIMUM QUANTITY OF 2 PALETTES/DESIGN.

DESCRIPTION		PlankIT	Robust	Ideal
Construction		Luxury Vinyl Tile with iGuard Surface		
Plank size   wood	EN ISO 24346	185×1220 mm	185×1220 mm	185×1220 mm
	EN ISO 24346	158×950* mm	158×950 mm	158×950 mm
Tile size   stone	EN ISO 24346	305×610 mm	305×610 mm	305×610 mm
Total thickness	EN ISO 24346	2,5 mm	3,0 mm	2,7 mm
Wear layer thickness	EN ISO 24340	0,55 mm	1,0 mm	0,7 mm
Total weight	EN ISO 23997	3,8 kg/m <sup>2</sup>	4,6 kg/m <sup>2</sup>	3,9 kg/m <sup>2</sup>
<b>CLASSIFICATION</b>				
European classification	EN 685	class: 33/42	class: 34/43	class: 34/43
Binder content	EN ISO 10582	Type I.	Type I.	Type I.
<b>PERFORMANCE</b>				
Abrasion group	EN 660-1	T	T	T
Residual indentation	EN ISO 24343	max. 0,1 mm	max. 0,1 mm	max. 0,1 mm
Dimensional stability	EN ISO 23999	max. 0,15 %	max. 0,15 %	max. 0,15 %
Curling	EN ISO 23999	max. 2,0 mm	max. 2,0 mm	max. 2,0 mm
Fire resistance	EN 13501-1	class: Bfl-s1	class: Bfl-s1	class: Bfl-s1
Slip resistance	EN 13893	class: DS	class: DS	class: DS
Electrical properties	EN 1815	max. 2 kV / Antistatic		
Chemical resistance	EN ISO 26987	✓	✓	✓
	ASTM F925	✓	✓	✓
Light fastness	EN 20105 B02	grade 6	grade 6	grade 6
Castor chair resistance	EN ISO 4918	✓	✓	✓
Surface treatment		iGuard PUR Surface / Easy cleaning		
Content of pcp	EN 12673	does not contain		
Formaldehyde emission	ENV 717-1	E1 (no emission)		
VOC	EN 12673	pass	pass	pass
Warranty	Commercial	10 year	15 year	12 year
	Residential	15 year	20 year	17 year

\*min. order quantity 2 pallets





LVT



LUXURY VINYL TILE

# Plank-It Wood



TARGARYEN



OLENA



TYRION



WESTERLING



BRONN



LANNISTER



JOFFREY



MARTELL



SANSА





REED



GENDRY



MALISTER



TULLY



TORMUND



STARK



DOREAH



BARATHEON



ELERIA

PLANK-IT WOOD





LUXURY VINYL TILE

# Plank-It Wood



BRANDON



MORMONT



DROGO



DAVOS



OBERYN



GREYJOY



ARYA



WALDER





BOLTON



ROSLIN



MARGAERY



PLANK-IT WOOD



LUXURY VINYL TILE

# Plank-*It* Stone



PODRICK



NYMERIA



MYRCELLA



HODOR






PLANK-IT STONE



LUXURY VINYL TILE

# Plank-*It* Stone



EURON



CASSEL



LUWIN



ROYCE





PLANK-IT STONE